

Amyand's Hernia: Case Report and Therapeutic Strategy

Soumeya Ettahiri*, Houda Ezzaki, Tarik Souiki, Karim Ibn Majdoub, Imane Toughrai and Khalid Mazaz

University Psychiatric Center Ibn Rushd, Casablanca, Morocco

***Corresponding author:** Soumeya Ettahiri, University Psychiatric Center Ibn Rushd, Casablanca, Morocco, Tel : +212633102774, E-mail : f.soumeya@gmail.com

Citation: Soumeya Ettahiri, Houda Ezzaki, Tarik Souiki, Karim Ibn Majdoub, Imane Toughrai, et al. (2022) Amyand's Hernia: Case Report and Therapeutic Strategy. J Surg Sci Oper Care 4: 102

Abstract

Amyand's hernia is defined as an inguinal hernia, containing the appendix within the hernia sac.[1] Incidence of this rare condition rises up to 1% (0.19–1.7%) of all inguinal hernia cases.[2] Inflammation of the appendix within the inguinal sac is even rarer, as it corresponds to 0.1% (0.07–0.13%) of all Amyand's hernia cases.[3]

Keywords: Amyand hernia; Appendicectomy; Inguinal Region

Case report

A 60 year old male presented to the emergency department with a history of right lower quadrant pain, and complaint of a pain and swelling in the right inguinal region for the past three weeks that increased gradually in size. Physical examination included an indirect right inguinal hernia incomplete, and reducible type with positive cough impulse. Patient was diagnosed as indirect inguinal hernia. We made a preoperative diagnosis of right inguinal hernia and we planned a hernia mesh repair. During surgery, the hernia sac contained the appendix. The appendix was totally normal, not congested, not inflamed, and there were adhesions with the sac so the adhesiolyses was difficult and we didn't make the appendicectomy. The patient postoperatively received fluid therapy, and antibiotherapy and was discharged on postoperative day 2.




Figure 1: Amyand hernia is an inguinal hernia that contains the appendix within the hernia sac

Discussion

Amyand hernia is an inguinal hernia that contains the appendix within the hernia sac. Amyand described the first case of incarcerated inguinal hernia containing a perforated appendix in a 11 year old boy in 1735. [4]

A ligation of the hernia and appendicectomy were performed simultaneously.

This hernia shouldn't be confused with De Garengeot hernia after René Jacques croissant de Garengeot, who described in 1731 a case of femoral hernia that contains a non-inflamed appendix. [5]

Physical examination will often reveal swelling in the right groin, pain and tenderness. Other symptoms may appear like fever, vomiting, and different gastrointestinal symptoms, depending on appendix's situation : normal, inflamed, perforated or gangrenous. [6]

CT scan shows a direct visualization of the appendix inside inguinal canal. [7] The pathognomonic sign for Amyand's hernia is a blind ending tubular structure inside the hernia sac, arising from the base of the cecum, wall thickening, hyperemia and periappendiceal fat stranding.[8] Indirect sign of Amyand's hernia can be the proximity of coecum to the hernia sac. [9]

Therapeutic strategy

Losanoff and Basson proposed a classification for Amyand’s hernia, setting a therapeutic framework.[10] Singal et al. refer to the modification of the Losanoff and Basson classification of Amyand’s hernia, also known as Rikki modification. [11] A fifth type of Amyand’s hernia were added, referred as an incisional hernia through which the vermiform appendix protrudes.

This type is divided into three subtypes, 5a, 5b and 5c.[12]

Classification	Description	Management
Type 1	Normal appendix in an inguinal hernia	Hernia reduction, mesh replacement
Type 2	Acute appendicitis in an inguinal hernia with no abdominal sepsis	Appendectomy, primary no prosthetics hernia repair
Type 3	Acute appendicitis in an inguinal hernia with abdominal and abdominal wall sepsis	Laparotomy, appendectomy, and primary no prosthetic hernia repair
Type 4	Acute appendicitis in an inguinal hernia with abdominal concomitant pathology	Same as type 3 plus management of concomitant disease

Table 1: Losanoff and Basson classification of Aymand’s hernia. [16]

Classification	Description	Management
Type 1	Normal appendix in an inguinal hernia	Hernia reduction, mesh replacement
Type 2	Acute appendicitis in an inguinal hernia with no abdominal sepsis	Appendectomy, primary no prosthetics hernia repair
Type 3	Acute appendicitis in an inguinal hernia with peritoneal and/or abdominal wall sepsis	Laparotomy, appendectomy, and primary no prosthetic hernia repair
Type 4	Acute appendicitis in an inguinal hernia with abdominal concomitant pathology	Same as type 3 plus management of concomitant disease
Type 5a	Normal appendix within an incisional hernia	Hernia reduction, primary repair of hernia including mesh replacement
Type 5b	Acute appendicitis within an incisional hernia without peritonitis	Appendectomy through hernia, primary closure of the aponeurotic gap, no prosthetics hernia repair
Type 5c	Acute appendicitis within an incisional hernia with peritonitis or abdominal wall sepsis or in relation to previous surgery.	Management as type 4

Table 2: Classification of Aymand’s hernia after Rikki modification. [16]

As a general rule : in case of a non-inflated appendix, we do the hernia repair without the appendicectomy. [13]

Some researches believe that realizing the appendicectomy could decrease post-operative complications by converting a clean surgery to a clean-contaminated one.[14] Besides, surgical manipulations in the base of the caecum during appendicectomy could increase the recurrence rate of the inguinal hernia.[15] Left-sided Amyand's hernia is the exception to this rule, because preventive appendicectomy is recommended, as in a case of a future appendicitis, there could be a high risk of false diagnosis. [16]

Therefore, the decision should be based on common sense, patient's age, life expectancy, life-long risk of developing acute appendicitis, and the size and overall anatomy of the appendix.[17]

Using protehetics material in inflamed, suppurative, or perforated appendicitis is strongly not recommended because of the increased risk of surgical site infection. [18]

References

1. N Faiz, N Ahmad, R Singh (2016) Case series on different presentations of Amyand's hernia, *Arch Int Surg* 6 176-9.
2. P. Kakodkar, W Neo, M Khan (2020) An incidental discovery of Amyand's Hernia: a case study and literature review on its intraoperative management, *Cureus* 1:185-8.
3. Thomas WE, Vowles KD, Williamson RC (1982) Appendicitis in external herniae. *Ann R Coll Surg Engl* 64:121-2
4. D'Alia C, Lo Schiavo MG, Tonante A et al. (2003) Amyand's hernia: case report and review of the literature *Hernia J Hernias Abdom Wall Surg* 7(2):89-91
5. AS Kimberly, MM Eric, DE Ross, et al. (2019) Two rare cases of appendicitis: Amyand's hernia and de garengot's hernia, *Case Rep Emerg Med*.
6. Y Gao, T Zhang, M Zhang, Z Hu, Q Li, X Zhang (2021) Amyand's hernia: a 10-year experience with 6 cases, *BMC Surg* 21:315
7. Ash L, Hatem S, Ramirez GA, Veniero J (2005) Amyand's hernia: a case report of prospective CT diagnosis in the emergency department. *Emergency Radiol* 11:231-2
8. Laermans S, Aerts P, De Man R (2007) Amyand's hernia: inguinal hernia with acute appendicitis. *J de Belge de Radiologie*; 90:524-5.
9. Luchs JS, Halpern D, Katz DS (2000) Amyand's hernia: prospective CT diagnosis. *J Comput Assist Tomogr* 24:884-6
10. Losanoff JE, Basson MD (2008) Amyand hernia: a classification to improve management. *Hernia J Hernias Abdom Wall Surg* 12:325-6
11. Losanoff JE, Basson MD (2007) Amyand Hernia: what lies beneath a proposed classification scheme to determine management *Am Surg* 73 :1288-90.
12. Gomes CA, Sartelli M, Di Saverio S, et al. (2015) Acute appendicitis: proposal of a new comprehensive grading system based on clinical, imaging and laparoscopic findings. *World J Emerg Surg* 10: 60
13. Ranganathan G, Kouchupapy R, Dias S (2011) An approach to the management of Amyand's hernia and presentation of an interesting case report. *Hernia J Hernias Abdom Wall Surg* 15:79-82
14. Abu Dalu J, Urca I (1972) Incarcerated inguinal hernia with a perforated appendix and periappendicular abscess: report of a case *Dis Colon Rectum* 15:464-5.
15. Ofili OP (1991) Spontaneous appendectomy and inguinal herniorrhaphy could be beneficial? *Ethiopian Med J* 29: 37-8.
16. Amyand's Hernia (2018) an Up-to-Date Review of the Literature Dimitrios Patoulas, Maria Kalogirou, Ioannis Patoulas 05 february.

17. Shaknovsky TJ, Sabido F, Shaikh D, Rosen P (2016) Robotic repair of Amyand's hernia; a case report. *J Case Rep Images Surg* 2:92-6.

18. Logan MT, Nottingham JM (2001) Amyand's hernia: a case report of an incarcerated and perforated appendix within an inguinal hernia and review of the literature *Am Surg* 67:628-9